

# Бутыли и аксессуары

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [kdu@nt-rt.ru](mailto:kdu@nt-rt.ru) || сайт: <https://kleinfeld.nt-rt.ru/>

## Kleinfeld

### Bio-Simplex® Carboys, PP



PP. Carboy for storing and dispensing a variety of standard reagents, media, solvents and sterile water.

- Volumes of 5 to 40 l.
- With and without autoclavable stopcock.
- Space-saving.
- Graduated.
- Large opening for filling.
- Stable grip for the entire hand.

| Type                | Capacity<br>l | Description             | PU | Order<br>No. | Manuf. Prod.<br>No. |
|---------------------|---------------|-------------------------|----|--------------|---------------------|
| Bio-Simplex® carboy | 5             | with closure            | 1  | 5427281      | DCB0580             |
| Bio-Simplex® carboy | 5             | with closure + stopcock | 1  | 5427282      | DCB0580S            |
| Bio-Simplex® carboy | 10            | with closure            | 1  | 5427283      | DCB1080             |
| Bio-Simplex® carboy | 10            | with closure + stopcock | 1  | 5427284      | DCB1080S            |
| Bio-Simplex® carboy | 10            | with 3" sanitary flange | 1  | 5427285      | DCB10S3             |
| Bio-Simplex® carboy | 20            | with closure            | 1  | 5427286      | DCB20120            |
| Bio-Simplex® carboy | 20            | with closure + stopcock | 1  | 5427287      | DCB20120S           |
| Bio-Simplex® carboy | 20            | with 3" sanitary flange | 1  | 5427288      | DCB20S3             |
| Bio-Simplex® carboy | 40            | with closure            | 1  | 5427289      | DCB40120            |
| Bio-Simplex® carboy | 40            | with closure + stopcock | 1  | 5427290      | DCB40120S           |
| Bio-Simplex® carboy | 40            | with 3" sanitary flange | 1  | 5427291      | DCB40S3             |

## Kleinfeld

### Storage Containers (Dosing Tanks)



PE, natural coloured. Particularly rigid quality. Suitable for food contact. With sintered-on liter scale. Stable upper surface allows problem-free dosing pump mounting. With threaded lid 150 mm Ø, for 60 l 132 mm Ø.

- Drain cock separately available.

| Description       | Capacity<br>l | Ø<br>mm | Height<br>mm | PU | Order<br>No. | Manuf.<br>Prod. No. |
|-------------------|---------------|---------|--------------|----|--------------|---------------------|
| Storage container | 60            | 450     | 545          | 1  | 5050001      | 5.050 001           |
| Storage container | 100           | 465     | 780          | 1  | 5050002      | 5.050 002           |
| Storage container | 200           | 560     | 955          | 1  | 5050005      | 5.050 005           |
| Storage container | 300           | 675     | 950          | 1  | 5050007      | 5.050 007           |
| Storage container | 500           | 815     | 1080         | 1  | 5050008      | 5.050 008           |
| Drain cock        |               |         | 0            | 1  | 5050011      | 9050010             |

## Kleinfeld

### Screw Caps for Culture Tubes



PP, white, linerless, with inner sealing ring.

| For outer<br>Ø<br>mm | GPI<br>thread | PU | Order No. | Manuf. Prod. No. |
|----------------------|---------------|----|-----------|------------------|
| 13                   | 13-415        | 1  | 5190380   | 73805B-13415     |
| 16                   | 15-415        | 1  | 5190381   | 73805B-15415     |
| 18                   | 18-415        | 1  | 5190382   | 73805B-18415     |
| 13                   |               | 1  | 5190345   | 45066C-13        |
| 16                   |               | 1  | 5190346   | 45066C-15        |
| 20                   |               | 1  | 5190347   | 45066C-18        |
| 25                   |               | 1  | 5190348   | 45066C-24        |




-  
Glassfibre-reinforced thermoplastic polyester (PBT). Melting point 225 °C. Very good temperature and chemical resistance. Rapid, secure, tight connection between tubing and glass screw threads and glass hose nozzles.

|  | Description                                               | PU | Order No. | Manuf. Prod. No. |
|--|-----------------------------------------------------------|----|-----------|------------------|
|  | KECK adapter for glass thread GL 14, yellow               | 1  | 5208930   | 5.208 930        |
|  | KECK adapter for glass nozzle GL14, yellow                | 1  | 5208931   | 5.208 931        |
|  | Spare thread cap for glass thread GL14, with flat gasket  | 1  | 5208932   | 5.208 932        |
|  | Spare clamping ring for glass nozzle, with O-ring, yellow | 1  | 5208933   | 5.208 933        |
|  | Spare tubing part, with flat gasket, blue, 9 mm           | 1  | 5208935   | 5.208 935        |
|  | KECK adapter for glass nozzle RD14, red                   | 1  | 5208940   | 5.208 940        |
|  | KECK adapter for glass nozzle RD14, red                   | 1  | 5208941   | 5.208 941        |
|  | Spare thread cap for glass thread RD14, with flat gasket  | 1  | 5208942   | 5.208 942        |
|  | Spare clamping ring for glass nozzle, with O-ring, red    | 1  | 5208943   | 5.208 943        |
|  | Coupling, 2 x 9 mm                                        | 1  | 5208957   | 5.208 957        |

|                               |           |           |
|-------------------------------|-----------|-----------|
| Coupling, 2 x 4.5 mm          | 1 5208958 | 5.208 958 |
| Coupling 1 x 4.5 mm, 1 x 9 mm | 1 5208959 | 5.208 959 |

## Kleinfeld

### LAB Rings, Open



Rings fit neatly around the neck of filtering flasks with side-arm tubing connections. No need to disconnect the tubing and compromise the process. The open ring, made of lead and covered with vinyl coating to protect glassware, is flexible enough to be pulled apart to accommodate a wider vessel.

| Size of flasks<br>ml | Ø<br>inside<br>mm | Weight<br>g | PU | Order<br>No. | Manuf.<br>Prod. No. |
|----------------------|-------------------|-------------|----|--------------|---------------------|
| 50 to 250            | 50                | 650         | 1  | 5149905      | 00LD5-C             |
| 125 to 500           | 43                | 227         | 1  | 5424050      | F18308-0500         |
| 200 to 500           | 70                | 900         | 1  | 5149907      | 00LD7-C             |
| 250 to 1000          | 51                | 450         | 1  | 5424051      | F18308-1000         |
| 500 to 2000          | 56                | 680         | 1  | 5424052      | F18308-2000         |
| 750 to 1000          | 100               | 1200        | 1  | 5149910      | 0LD10-C             |
| 1000 to 4000         | 71                | 900         | 1  | 5424053      | F18308-4000         |

## Kleinfeld

### LAB Sleeves



Lead. Enclosed in thick PVC. Flexible. Can be opened, closed and adapted to the size of the vessel.

| For Ø<br>mm | Ø<br>inside<br>mm | Weight<br>g | PU | Order<br>No. | Manuf. Prod.<br>No. |
|-------------|-------------------|-------------|----|--------------|---------------------|
| 45 to 65    | 53                | 240         | 1  | 5149916      | 00LC-50             |
| 55 to 80    | 66                | 460         | 1  | 5149917      | 00LC-60             |
| 65 to 100   | 80                | 600         | 1  | 5149918      | 00LC-80             |
| 85 to 125   | 100               | 750         | 1  | 5149919      | 0LC-100             |

## Kleinfeld Ground Joint Clips



Delrin (POM). For conical (NS) and spherical (S) ground joints. Fusion point at 150 °C. Excellent chemical resistance and mechanical strength.

| For<br>ground joints | Colour | PU | Order<br>No. | Manuf.<br>Prod. No. |
|----------------------|--------|----|--------------|---------------------|
| 10                   | green  | 1  | 5011773      | 5.011 773           |
| 12                   | violet | 1  | 5011774      | 5.011 774           |
| 14                   | yellow | 1  | 5011775      | 5.011 775           |
| 19                   | blue   | 1  | 5011776      | 5.011 776           |
| 24                   | green  | 1  | 5011777      | 5.011 777           |
| 29                   | red    | 1  | 5011778      | 5.011 778           |
| 34                   | orange | 1  | 5011779      | 5.011 779           |
| 40                   | yellow | 1  | 5011780      | 5.011 780           |

|       |            |                     |
|-------|------------|---------------------|
| 45    | brown      | 1 5011781 5.011 781 |
| S 13  | violet     | 1 5011793 5.011 793 |
| S 19  | light blue | 1 5011794 5.011 794 |
| S 29  | dark red   | 1 5011795 5.011 795 |
| S 35  | orange     | 1 5011796 5.011 796 |
| S 19Q | dark blue  | 1 5011797 5.011 797 |

## Kleinfeld

### Closures for Bio-Simplex® Carboys, PP

| Closure size mm | Description                  | PU | Order No. | Manuf. Prod. No. |
|-----------------|------------------------------|----|-----------|------------------|
| 83              | closed, white                | 1  | 5427292   | DEZ080CT         |
| 83              | with hole and adapter, white | 1  | 5427293   | DEZ080OT         |
| 120             | closed, white                | 1  | 5427294   | DEZ120CT         |
| 120             | with hole and adapter, white | 1  | 5427295   | DEZ120OT         |

## Kleinfeld

### Desiccator Sealing Rings



Soft rubber. These sealing rings make grease unnecessary. Suitable for desiccators, Witt jars etc.

| Nominal-Ø mm | PU | Order No. | Manuf. Prod. No. |
|--------------|----|-----------|------------------|
| 100          | 1  | 5042710   | 5.042 710        |
| 150          | 1  | 5042715   | 5.042 715        |
| 200          | 1  | 5042720   | 5.042 720        |
| 250          | 1  | 5042725   | 5.042 725        |
| 300          | 1  | 5042730   | 5.042 730        |

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [kdu@nt-rt.ru](mailto:kdu@nt-rt.ru) || сайт: <https://kleinfeld.nt-rt.ru/>